



REPORT OF INSPECTION OF PLEASURE YACHT (ENGAGED IN COMMERCIAL TRADE)

INITIAL ☐

RENEWAL ☐

ANNUAL ☐

Inspection standard: Safety Code of Practice for Pleasure Yachts engaged in Commercial Trade

Name of yacht		Official number		Year built	
Type of yacht	Class	Yacht's Builder		Propulsion power (kW) for each engine	Type of engine (inboard or outboard)
Tonnage Length	Breadth max	Depth	Mean draft	Gross / Net tonnage	Material
Address of the Yacht's owner					
Accredited Surveyor's Name			Date of Accreditation		
Place of survey			Survey commenced	Survey completed	
☐ on rest yard ☐ afloat			(dd/mm/yy)	(dd/mm/yy)	

Note:

Check the items with "X" and/or fill in the applicable blanks and give details of the condition actually found.
Mark ☐ N ☐ A where the item is Not Applicable.

A. HULL AND EQUIPMENT (Reg.4)

Yes No

The following items were examined as far as practicable and found in satisfactory condition:

- | | | |
|---|--------------------------|--------------------------|
| 1. Accommodation decks, casings and superstructures. | ☐ | ☐ |
| 2. Keel, stern, stem, rubber. | ☐ | ☐ |
| 3. Shell and deck plating. | ☐ | ☐ |
| 4. W.T bulkheads, frames, beams, floors (delete as appropriate). | ☐ | ☐ |
| 5. Stringers, girders. | ☐ | ☐ |
| 6. Boundaries of spaces containing internal combustion engine. | ☐ | ☐ |
| 7. Hatchways, hatch covers, doors and other deck openings. | ☐ | ☐ |
| 8. Bulwark rails. | ☐ | ☐ |
| 9. Watertight integrity. | ☐ | ☐ |
| 10. Skylights. | ☐ | ☐ |
| 11. Side scuttles, their deadlights and windows. | ☐ | ☐ |
| 12. Air pipes, sounding pipes, ventilators, guardrails, bulwarks. | ☐ | ☐ |
| 13. Guardrails, bulwarks. | ☐ | ☐ |
| 14. Ventilators exhaust ducts. | ☐ | ☐ |
| 15. Scuppers. | ☐ | ☐ |
| 16. Ballast - fuel tanks. | ☐ | ☐ |
| 17. Sea inlets and discharges and their shut-off valves. | ☐ | ☐ |
| 18. Anchoring equipment, chain lockers. | ☐ | ☐ |
| Number of anchors: _____ Weight: _____ | | |
| 19. Mooring equipment. | ☐ | ☐ |

41. Fire hose and nozzle (should not exceed 18 m each).

Indicate number of fire hoses/nozzles: _____ Diameter of hose: _____

☐ ☐

Yes No

42. Fire extinguishers:

Accommodation area (min.3)

Wheel house (min.1)

Machinery spaces (min.4)

Galley (min.1)

Number	Medium	Location

☐	☐
☐	☐
☐	☐
☐	☐

Date of inspection: _____

Inspection certificate(s)
attached: _____

43. Fixed fire-extinguishing system (CO2 or other) for engine room/machinery spaces:

Indicate equipment: _____

Date of inspection : _____

Inspection certificate
attached: _____

☐ ☐

44. Emergency Escape Breathing Devices (EEBD):

Accommodation spaces (min.2):

Manned Machinery spaces only(min.2): _____

(For Yachts < 24 m one is required in accommodation and one in manned machinery spaces only)

45. Fireman outfit (min.1 for yachts >24m):

Indicate equipment: _____

Date of inspection : _____

Inspection certificate attached: _____

☐ ☐

46. Means of escape:

.1 Machinery spaces (min.2).

.2 Accommodation spaces or restricted/group spaces (min.2 each space).

☐	☐
☐	☐

47. Fire blanket inside galley (1pcs).

☐ ☐

48. Fire detection/Fire alarm system (control panel in crew area and wheelhouse):

Indicate location: _____

☐ ☐

47. Fireman Axe (1pcs).

☐ ☐

D. LIFE-SAVING EQUIPMENT(Reg.7) –number of crew to be determined as per sec. 19.4 of the code

Indicate: NUMBER OF CREW: _____

NUMBER OF PASSENGERS: _____

☐ ☐

The following items were examined and found in satisfactory condition:

49. Life rafts (110 % capacity) (certificate of annual inspection to be submitted with this report)

☐ ☐

No.	Type	Capacity	Location	Date of inspection	Attached certificate	Transferable yes / no	HRU / expiry date

50. Tender boat:

Indicate Maker: _____

Type: _____

Capacity: _____

Falls renewed: _____

Turn end for end: _____

☐ ☐

51. Tender's Outboard engine:

Indicate Maker: _____

Type: _____

Serial no.: _____

Power: _____

☐ ☐

52. Lifejacket with lights, whistle and retro reflective tape:

Quantity for Adults : _____ pieces.

Quantity for children: _____ pieces.

☐ ☐

53. Lifebuoys or SOLAS Approved Strobe Lights.

☐ ☐

.1 Lifebuoys with self-igniting light and smoke signal (min.2pcs):

Indicate quantity: _____

Exp. dates: _____

.2 Lifebuoys with buoyant line of min. 30 meters. (min.2pcs):

Indicate quantity: _____

Location: _____

54. Immersion suits.

Indicate quantity: _____

☐ ☐

	Yes	No
55. Distress signals:	☐	☐
Parachute signals (<i>min. 6pcs</i>). Quantity: _____ Expiry date: _____		
Hand flares (<i>min. 3pcs</i>). Quantity: _____ Expiry date: _____		
Smoke signals (<i>min. 2pcs</i>). Quantity: _____ Expiry date: _____		
56. Line throwing appliances (<i>one with 4 projectiles</i>): (<i>For category 3, 4 and 5 one with two projectiles</i>):	☐	☐
57. General alarm.	☐	☐
58. Radar transponder (<i>min. 1 unit for yachts > 300GT</i>).	☐	☐
Indicate type: _____ Expiry date: _____		
59. Portable VHF apparatus (<i>min. 2pcs for yachts > 300GT</i>).	☐	☐
Indicate type: No.1 _____		
No.2 _____		
60. Automatic Identification System (AIS) (<i>yachts > 300GT</i>).	☐	☐
Indicate maker/type: _____		
61. Long Range Identification Tracking (LRIT).	☐	☐
Indicate maker/type: _____		
Conformance Test Report issued on: _____		
62. Miscellaneous equipment: i) First aid equipment sufficient for the persons on board and length of voyages, ii) torch light, iii) storm lantern, iv) whistle, v) two black ball shapes, vi) International medical guide for ships, vii) COLREG convention, viii) training or instruction for LSA, ix) Copy of the table "Life-saving signals and rescue methods".	☐	☐
62A. Drills, Onboard Training and Instructions (records, drill witnessed during inspection):	☐	☐

E. NAVIGATION EQUIPMENT (Reg.10)

The following items were examined and found in satisfactory condition:

63. Magnetic compass. Type: _____	☐	☐
64. Gyro or spare magnetic compass or equivalent. Type: _____	☐	☐
65. Set of updated navigation charts, publications: _____	☐	☐
66. Barometer. _____	☐	☐
67. Radar(s). Type: _____ (min 1 at 9 GHz): _____	☐	☐
68. Global position navigation system "GPS" (<i>min. 2 units</i>). Type: _____ _____	☐	☐
69. Echo sounder or equivalent. Type: _____	☐	☐
70. Signalling lamp and/or handheld searchlight: _____	☐	☐
71. Navigation lights, shapes and sound signals as per COLREG requirements: _____	☐	☐
72. Bridge Navigational Watch Alarm System (BNWAS) (<i>yachts > 150GT</i>): _____ Other equipment: _____	☐	☐

F. RADIO COMMUNICATION EQUIPMENT (Reg.8)

Indicate sea areas in which vessel will operate.

(A1, A2, A3) etc): _____

The following items were examined and found in satisfactory condition:

73. Main and reserve source of energy: _____	☐	☐
74. VHF radio installation (radiotelephony, DSC, DSC watch receiver). Indicate Maker/type/Ser. No: _____ _____	☐	☐
75. MF radio installation (radiotelephony, DSC, DSC watch receiver). Indicate Maker/type/Ser. No: _____	☐	☐

	Yes	No
76. MF/HF radio installation (radiotelephony, DSC, DSC watch receiver). Indicate Maker/type/Ser. No: _____	☐	☐
77. SES providing RMSS Indicate Maker/type/Ser. No: _____	☐	☐
<i>Note: MF/HF with DSC or SES providing RMSS earth station for category 1 and 2</i>		
78. Satellite EPIRB (yachts of categories 1 and 2 and yachts > 300GT). Indicate type: _____ Expiry date: _____	☐	☐
79. NAVTEX or EGC or HF NBDP receiver (yachts of categories 1 and 2) of type: _____	☐	☐
80. Ship station license/shore based maintenance. Copies to be submitted to Administration or its RO: _____	☐	☐
81. Other equipment: _____	☐	☐
	☐	☐

G I.O.P.P. EQUIPMENT (for yachts of 400 GT and over) in accordance with the requirements of ANNEX I of MARPOL Convention

The following items were examined and/or tested as far as practicable, and found in order:

82. Oil Filtering Equipment :		
i. Oil filtering equipment 15 ppm was externally (An.)/internally (Ren.) * and pumps with bilge piping and pipes of sludge tank examined/tested and found satisfactory.	☐	☐
ii. Operational instructions for the oil filtering equipment and piping diagram are displayed.	☐	☐
iii. Sufficient storage of filtering and/or coalescing is provided (An.)/found renewed (Ren.)*	☐	☐
iv. The oil contents meter for the 15 ppm alarm along with the automatic stopping device was tested (An.) and calibrated according to manufacturer's instruction (Ren.)*	☐	☐
83. Overboard discharge valve was externally examined and found satisfactory.	☐	☐
84. Holding tank for oily bilge water, where fitted, and sludge tank installation is in good condition.	☐	☐
85. Installation for oil residues discharge to shore reception facilities along with the standard. Discharge connections are in good condition.	☐	☐
86. Vessel is provided with S.O.P.E.P. in accordance with regulation 37 and a revised oil record book in accordance with regulation 17.	☐	☐

* Delete as appropriate.

Note: "an": Annual, "Int": intermediate, "Ren": Renewal

H SEWAGE (> 400 GT or for yachts carrying more than 15 persons) ANNEX IV of MARPOL; Convention. Valid International Sewage Pollution Prevention Certificate sighted on board

The following items (one of them is applicable) were examined and/or tested as far as applicable and found in order:

87. Sewage treatment plant.		
Indicate type: _____ Maker: _____		
Effluent Standard : _____		
88. Comminuter	☐	☐
Indicate Maker: _____		
Standard of sewage after disinfection: _____		
89. Holding tank.	☐	☐
Indicate capacity: _____ Location: _____		
.1 Means to indicate visually the amount of its contents.	☐	☐
.2 Sufficient openings for cleaning/maintenance.	☐	☐

.3 Transfer pump of sewage content tested and found in order.

☐ ☐

Yes No

I. GARBAGE (applicable to all yachts) in accordance with the requirements of ANNEX V of MARPOL Convention.

90. Placards with disposal requirements (Yachts>12m); Garbage record book and Garbage Management Plan (*Yachts >100GT or >15 persons*)

☐ ☐

91. Garbage record book and Garbage management Plan (*Yachts >400GT irrespective number of persons*)

☐ ☐

The following items (one of them is applicable) were examined and/or tested as far as applicable and found in order:

92. **Incinerator.**

☐ ☐

Indicate type : _____ Maker: _____

Incinerator is suitable for Sewage/Oil sludge incineration.

93. **Garbage treatment plant.**

☐ ☐

Indicate type : _____ Maker: _____

Garbage Treatment Plant ensures grinding/pressing of garbage.*

94. **Garbage collection facilities.**

☐ ☐

Indicate capacity: _____ Location: _____

*Delete as appropriate

J. I.A.P.P. EQUIPMENT (for yachts of 400 GT and over) in accordance with the requirements of ANNEX VI of MARPOL Convention.

☐ ☐

Documentation.

95. Are there certificates for compliance with the NOx Technical Code onboard for each engine required to be certified? (Refer to section 2.2.1 of the Records of Construction and Equipment). IAPP Certificate and IEEC available?

☐ ☐

96. Are there any of the below documents on board:

i. Approved Technical file for each Certified engine on board?

☐ ☐

ii. Approval Certificate for each incinerator on board?

☐ ☐

iii. Approval Certificate for the exhaust gas cleaning system?

☐ ☐

Ozone depleting substances (Reg.12).

97. Does any system or equipment onboard contain ozone depleting substances?

☐ ☐

If Yes, Check dates such equipment are permitted to remain onboard.

98. Is any system or equipment still in use or approaching its allowable date to remain onboard?

☐ ☐

If Yes, advise Owners to remove and dispose into appropriate reception facilities.

Nitrogen Oxide emissions from diesel engines (Reg.13).

99. Verification method depending on the approved technical file requirements.

i. Engine parameter check method, and/or

☐ ☐

ii. Simplified measurement method and/or

☐ ☐

iii. Direct measurement and monitoring method and/or

☐ ☐

100. Has NOX-treatment device been installed afterwards?

☐ ☐

If so, perform external examination and advise if found in generally satisfactory condition.

☐ ☐

Sulphur oxides (Reg.14).

101. Is the exhaust cleaning system operated as per the manufacturer's instructions?

☐ ☐

Has the external examination found it in a satisfactory condition?

☐ ☐

102. Where equipped with tanks for low (1.5% m/m) and normal (4.5% m/m) sulphur content fuel, are switching arrangements operational and relevant changeover records provided on board?

☐ ☐

103. Are the bunker notes for carriage of correct quality fuel(s) as required by Reg.18?

☐ ☐

104. Are samples of fuel oil on board as required by Reg.18?

☐ ☐

Incinerators (Reg.16).

P. CERTIFICATE

Yes No

115. Interim Document of Compliance No.: _____ issued on: _____ ☐ ☐
116. Existing Document of Compliance No.: _____ endorsed for annual inspection on : _____ ☐ ☐
117. **It is recommended that*:**
- A full term Document of compliance valid until _____ for _____ persons ☐ ☐
and performing voyages within _____ NM from a safe haven to be issued by the Flag Administration.

Date: _____
(dd/mm/yy)

Surveyor

*** Compulsory entry**

This report is not applicable for the yachts which are operating in polar waters as defined by IMO's International Code for Ships Operating in Polar Waters (Polar Code).